

Course Contents of ORACLE 9i

Overview of Oracle9i Server Architecture

- Responsibilities of a DBA
- Changing DBA Environments
- What is an Oracle Server?
- Oracle Versioning
- Server Architectural Overview
- Operating System Environment
- Important Subdirectories in ORACLE_HOME
- Oracle Product Subdirectories
- Oracle Instance Components
- Database, Control, and Redo Log Files
- Logical Storage Structures
- Oracle Block Sizes
- Blocks, Extents, and Segments
- Different Types of Segments
- Tablespaces
- Logical Structural Design
- System Change Numbers
- Different Versions of Oracle
- Oracle8.0 - The Object-Relational Release
- Oracle Ceilings
- Additional Database Limits
- Oracle8i - The Internet Release
- Oracle9i Release 1- The eBusiness Database
- Oracle9i Release 2- The Object-Relational OLAP Database
- Oracle Products and Architectures
- DBA Management Pack
- Understanding your Oracle Server Layout

Oracle Memory Structures and Processes

- Oracle Instance Review
- Database Buffer Cache
- The LRU and Dirty Lists
- Server Processes and the Buffer Cache
- DBWR and the Buffer Cache
- MTTR and Checkpoint intervals
- Checkpoints
- MTTR Advisor
- Minimal I/O Recovery
- Defining Multiple DB Cache Buffer Pools
- Defining the Database Buffer Pools (Oracle8i style)
- Database Buffer Pool Parameters (Oracle8i style)
- The Buffer Pool Parameter
- Defining Storage for Buffer Pools
- Calculating the Hit Ratio for Buffer Pools and Buffer Pool Sizes
- Latch Contention
- Caching Tables
- Calculating Cache Usage of Schema Objects
- Redo Log Buffer Cache

- Shared and Large Pool Area
- Java Pool Size
- The Oracle JVM
- Impacting Server Process Memory
- Background and Required Background Processes
- Additional Background Processes
- Listing Processes

Server Processes and Executing SQL

- Server Processes
- Program and User Global Areas
- Dedicated and Shared Server Architecture
- Deprecated and Shared Server Parameters
- The Parse Phase
- Execution Plan Phase
- Execution and Fetch Phase
- Processing DML Statements
- Rule-based and Cost-based Optimizers
- Tuning Parallel Query
- Parallel DML

Using the Data Dictionary

- What is the Oracle Data Dictionary?
- Base Tables, Static Views, and Dynamic Views in the Data Dictionary

Starting and Shutting Down an Oracle Server

- Database Utilities
- The Server Manager Tool (Obsolete in Oracle9i)
- SQL*Plus Features and Commands
- Additional Commands
- The Parameter File
- Oracle Universal Installer
- The Database Configuration Assistant
- Setting up a Parameter File
- Important Parameters for Database Creation
- Starting an Oracle Server
- The STARTUP command
- Startup and Shutdown Privileges
- The SHUTDOWN Command
- ALTER DATABASE Command
- Alert and Trace Files
- Working with Data Dictionary Views
- Dynamic versus Static Parameters

Server Parameter File

- Definition of the Server Parameter File (SPFILE)
- Operation of the SPFILE
- Creating an SPFILE
- Changing Parameters in the SPFILE
- Backing up the SPFILE
- Gathering Information About Parameters

Dynamic Memory Management

- Setting up SQL Work Areas
- Defining Automatic PGA Memory Management
- SQL Work Areas versus the PGA Aggregate Target
- Setting the PGA Target Memory Size
- Displaying Work area Information
- Using a PGA Work area
- Dynamic SGA
- Granules
- Changing the Database Buffer Cache
- Changing the Shared Pool Size
- Database Buffer Cache Parameters
- Multiple Database Buffer Caches
- Deprecated and Advisory Parameters

Managing Tablespaces and Data Files

- Review Logical and Physical Structure Relationships
- The SYSTEM Table space
- CREATE TABLESPACE
- Locally-Managed Table spaces
- Temporary Table spaces
- Temporary Segments
- Database Default Temporary Table space
- Creating a Default Temporary Table space
- Read-only Table spaces
- Viewing Active Transactions
- Coalescing Dictionary Managed Table spaces
- Using the ALTER TABLESPACE command
- Taking Table spaces ONLINE and OFFLINE
- Renaming a Data File
- Adding More Space to a Database
- Autoextending a Data File
- DROP TABLESPACE Command
- Dictionary-Managed Table spaces
- Dictionary versus Locally Managed Table spaces
- Converting Dictionary and Local Table spaces
- Migrating the Table space Management Type
- Data Dictionary Views

Managing Rollback Segments

- Managing Before-Image Data
- Rollback Segments
- Private versus Public Rollback Segments
- Second Rollback Segment in SYSTEM
- Sizing Rollback Segments
- The OPTIMAL Parameter
- CREATE ROLLBACK SEGMENT Command
- ALTER/DROP ROLLBACK SEGMENT Commands
- Using the SET TRANSACTION Command
- Data Dictionary Views for Rollback Segments

Tablespace Management

- Automatic Undo Management
- Creating an Undo Table space
- Automatic Mode for Managing Undo Space
- Automatic Undo Initialization Parameters
- The UNDO_RETENTION Parameter
- Defining an Undo Table space When Creating a Database
- Determining the Size of the Undo Table space Data File
- Dropping an Undo Table space
- Switching Undo Table spaces
- Data Dictionary Views for Undo Information
- Undo versus Rollback Segments
- Multiple Block Size Support
- Setting up Multiple Block Sizes

Segment Management

- High Throughput Systems
- Automatic Segment-Space Management
- Space Management
- Creating Objects in Automatic Segment-Space Managed Table spaces
- Space Deallocation With Automatic Segment-Space Management
- The DBMS_SPACE Package
- The SPACE_USAGE Parameters
- Space Deallocation Statements
- Viewing Space Usage Information

Managing Tables

- Creating Tables
- Create the SALE_TAB Table
- Creating Segments in Tablespaces
- Column Datatypes
- Global Temporary Tables
- Clustered Tables
- Database Block
- Block Utilization Parameters
- Row Migration and Chaining
- Storage Clause Options and Parameters
- Managing Extent Growth
- Moving, Renaming, and Redefining Tables
- Removing Data From Tables, Modifying Column Definitions
- Defining Columns to be Unused, Dropping Columns
- Segment High Water Mark and Segment Header
- Calculate the HWM of a Segment

Managing Indexes

- Index Types
- B*-tree Indexes
- Index Attributes
- Maintaining Indexes
- Composite Indexes
- Skip Scans
- Reverse Key Indexes

- Bitmap Indexes
- Cluster (B*Tree) Indexes
- Index Organized Tables
- Function-Based Indexes
- Domain Indexes
- Index Maintenance
- Analyzing, Rebuilding, and Coalescing the Index
- Online Index Rebuilds
- Index Organized Table High Availability Features
- Bitmap Join Indexes
- Indexes on Primary Keys
- Export and Import of Indexes

Managing Constraints

- Data Integrity
- Inline and Out-of-Line Constraints
- Constraint Names
- Primary and Foreign Key Constraints
- Unique, Not Null, and Check Constraints
- Viewing Constraint Information
- Enabling and Disabling Constraints
- Creating and Setting Deferred Constraints
- Setting the RELY Flag
- Explicit Index Definition
- USING INDEX Syntax
- Dropping or Disabling Constraints and Indexes
- Reducing Locking on Foreign Key Tables
- Caching Primary Key Values

Administration of Control Files

- Control File Contents
- Working with Control Files
- Multiplexing Control Files
- The CREATE CONTROLFILE Command
- Log Sequence Numbers
- Reviewing Checkpoints
- Instance Recovery
- Managing Checkpointing
- Multiple DBWR IO Processes

Administration of Redo Log Files

- Review of Redo Log Files
- Writing to Redo Log Files
- Adding and Clearing Online Redo Log Files
- Dropping and Renaming Online Redo Log Files
- Archivelog Mode
- Setting up Archiving
- Mandatory or Optional Destinations
- Managing Archive Destinations
- Dynamic Archive Parameters
- ARCHIVE LOG LIST Command
- Data Dictionary Views for Redo Log Files

Oracle Managed Files

- Why Use Oracle Managed Files?
- The Mechanism of OMF
- OMF Data Files and Naming Conventions
- O9iR2 OMF Naming Conventions
- DB_CREATE_FILE_DEST
- DB_CREATE_ONLINE_LOG_DEST_n
- Using OMF in Database Creation
- OMF and Online Redo Log Files
- OMF, Data Files, and Tablespaces
- Renaming OMF Data Files
- OMF and Control Files

Managing Users and Profiles

- Creating Users
- Assigning Quotas to Users
- ALTER USER Command
- Protecting the System Tablespace
- Creating Profiles
- Database Resource Limits
- Security Guidelines

Security Administration

- System Privileges
- Roles
- Viewing System Privileges
- Privileges and the User Group PUBLIC
- Revoking System Privileges and Roles
- Object Privileges
- Database Authentication
- Setting up a Role
- Parent versus Child Roles
- Working with Default Roles
- Secure Application Role
- Enabling and Disabling Roles
- Guidelines and Standards for Roles

Additional Security Features

- Enhanced Security
- Password Management Features
- Password Resource Limits
- Password Complexity
- Setting up Password Management
- Defining a Profile with Password Limits
- Defining a Profile for a User
- Data Encryption
- Encryption: Random Key Generation

Oracle Utilities and Managing Data

- Oracle Utilities
- The Export Utility
- Export Modes and Parameters
- Import Utility and Parameters
- Rebuilding a Database, Logical Backups
- Using Multiple Export Dump Files
- Using a Query Filter on Export
- Exporting Outlines
- Transportable Tablespaces
- Self Containing Tablespaces
- New 9i Features in Oracle Utilities
- Exporting and Importing Statistics
- New Parameters for Export and Import
- Direct-Load Inserts
- Conventional versus Direct Path Loads

Creating an Oracle Instance and Database

- Preparation, Methods, and Steps for Creating a Database
- Requirements for a Minimal Database
- Setup for UNIX and NT
- Removing Oracle Servers and Software
- Things to Consider When Creating a Database
- Optimal Flexible Architecture
- Follow OFA Guidelines
- OFA Directory Layouts
- File Naming Conventions
- The CREATE DATABASE Command
- Creating a Oracle9i Database Script
- What is Created?
- Preinstalled Users and Roles
- After Database Creation
- Managing PL/SQL Packages
- Troubleshooting Database Creation